

CBD Daily Intensive Cream

Sample ID: 1811CSALA1322.4469
Strain: CBD Daily Intensive Cream
Matrix: Topical
Type: Other
Sample Size: 1 units; Batch: 0 units

Produced: N/A
Collected: 11/01/2018
Received: 11/01/2018
Completed: 11/07/2018
Batch#:

Client
Earthy Body
Lic. #
21900 Plummer St
Chatsworth, CA 91311



Summary

Pass

101.2800 mg/unit Total Cannabinoids	Pass Pesticides	Not Tested Residual Solvents
Not Tested Microbials	Not Tested Mycotoxins	Not Tested Heavy Metals

Cannabinoids

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/unit	mg/g
THCa	0.0192	0.0480	ND	ND
Δ9-THC	0.0144	0.0480	ND	ND
Δ8-THC	0.0240	0.0960	ND	ND
THCV	0.0288	0.0960	ND	ND
CBDa	0.0192	0.0480	ND	ND
CBD	0.0144	0.0480	51.3600	1.0700
CBDV	0.0336	0.0960	49.9200	1.0400
CBN	0.0096	0.0480	ND	ND
CBGa	0.0288	0.0960	ND	ND
CBG	0.0288	0.0960	ND	ND
CBC	0.0096	0.0480	ND	ND
Total			101.2800	2.1100

Complete

Terpenes

Testing method: HSGCMS-SOP 201

Analyte	LOD	LOQ	Mass	Mass
---------	-----	-----	------	------

ND
Total THC

51.3600 mg/unit
Total CBD

1 Unit = , 48g; 1 servings per container; 0.0 mg/unit THC per container

NT Moisture SOP-103	NT Water Activity SOP-102	Not Tested Foreign Matter SOP-001
----------------------------------	--	--

Date Tested: 11/05/2018

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.
The reported result is based on a sample weight with the applicable moisture content for that sample;



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

IAF

Inibong Afia
Executive Lab Director
11/07/2018

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



CBD Daily Intensive Cream

Sample ID: 1811CSALA1322.4469
 Strain: CBD Daily Intensive Cream
 Matrix: Topical
 Type: Other
 Sample Size: 1 units; Batch: 0 units

Produced: N/A
 Collected: 11/01/2018
 Received: 11/01/2018
 Completed: 11/07/2018
 Batch#:

Client
Earthly Body
 Lic. #
 21900 Plummer St
 Chatsworth, CA 91311

Pesticides

Test Method: LCMS & GCMS-SOP 301

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.005	0.100	0.300	ND	Pass	Fludioxonil	0.001	0.100	30.000	ND	Pass
Acephate	0.000	0.100	5.000	ND	Pass	Hexythiazox	0.000	0.100	2.000	ND	Pass
Acequinocyl	0.000	0.100	4.000	ND	Pass	Imazalil	0.100	0.100	0.100	ND	Pass
Acetamiprid	0.000	0.100	5.000	ND	Pass	Imidacloprid	0.001	0.100	3.000	ND	Pass
Aldicarb	0.100	0.100	0.100	ND	Pass	Kresoxim Methyl	0.003	0.100	1.000	ND	Pass
Azoxystrobin	0.000	0.100	40.000	ND	Pass	Malathion	0.001	0.100	5.000	ND	Pass
Bifenazate	0.000	0.100	5.000	ND	Pass	Metalaxyl	0.001	0.100	15.000	ND	Pass
Bifenthrin	0.000	0.100	0.500	ND	Pass	Methiocarb	0.100	0.100	0.100	ND	Pass
Boscalid	0.001	0.100	10.000	ND	Pass	Methomyl	0.001	0.100	0.100	ND	Pass
Captan	0.001	0.100	5.000	ND	Pass	Methyl Parathion	0.100	0.100	0.100	ND	Pass
Carbaryl	0.001	0.100	0.500	ND	Pass	Mevinphos	0.100	0.100	0.100	ND	Pass
Carbofuran	0.100	0.100	0.100	ND	Pass	Myclobutanil	0.004	0.100	9.000	ND	Pass
Chlorantraniliprole	0.001	0.100	40.000	ND	Pass	Naled	0.004	0.100	0.500	ND	Pass
Chlordane	0.100	0.100	0.100	ND	Pass	Oxamyl	0.000	0.100	0.200	ND	Pass
Chlorfenapyr	0.100	0.100	0.100	ND	Pass	Paclbutrazol	0.100	0.100	0.100	ND	Pass
Chlorpyrifos	0.100	0.100	0.100	ND	Pass	Pentachloronitrobenzene	0.000	0.100	0.200	ND	Pass
Clofentezine	0.001	0.100	0.500	ND	Pass	Permethrin	0.001	0.100	20.000	ND	Pass
Coumaphos	0.100	0.100	0.100	ND	Pass	Phosmet	0.000	0.100	0.200	ND	Pass
Cyfluthrin	0.001	0.100	1.000	ND	Pass	Piperonyl Butoxide	0.001	0.100	3.000	ND	Pass
Cypermethrin	0.000	0.100	1.000	ND	Pass	Prallethrin	0.000	0.100	0.400	ND	Pass
Daminozide	0.100	0.100	0.100	ND	Pass	Propiconazole	0.000	0.100	20.000	ND	Pass
DDVP	0.100	0.100	0.100	ND	Pass	Propoxur	0.100	0.100	0.100	ND	Pass
Diazinon	0.001	0.100	0.200	ND	Pass	Pyrethrins	0.000	0.100	1.000	ND	Pass
Dimethoate	0.100	0.100	0.100	ND	Pass	Pyridaben	0.001	0.100	3.000	ND	Pass
Dimethomorph	0.001	0.100	20.000	ND	Pass	Spinetoram	0.001	0.100	3.000	ND	Pass
Ethoprophos	0.100	0.100	0.100	ND	Pass	Spinosad	0.000	0.100	3.000	ND	Pass
Etofenprox	0.100	0.100	0.100	ND	Pass	Spiromesifen	0.001	0.100	12.000	ND	Pass
Etozazole	0.010	0.100	1.500	ND	Pass	Spirotetramat	0.000	0.100	13.000	ND	Pass
Fenhexamid	0.001	0.100	10.000	ND	Pass	Spiroxamine	0.100	0.100	0.100	ND	Pass
Fenoxycarb	0.100	0.100	0.100	ND	Pass	Tebuconazole	0.002	0.100	2.000	ND	Pass
Fenpyroximate	0.001	0.100	2.000	ND	Pass	Thiacloprid	0.100	0.100	0.100	ND	Pass
Fipronil	0.100	0.100	0.100	ND	Pass	Thiamethoxam	0.000	0.100	4.500	ND	Pass
Flonicamid	0.001	0.100	2.000	ND	Pass	Trifloxystrobin	0.001	0.100	30.000	ND	Pass

Date Tested: 11/05/2018

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Iniobong Afia
 Executive Lab Director
 11/07/2018

 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com
